

**Lipman**

DO BUSINESS BETTER

# **NURIT<sup>®</sup> 8000**

**Wireless Palmtop Solution**



**The Handheld POS  
For On-the-Go Transactions**



# NURIT<sup>®</sup> 8000

## Wireless Palmtop Solution



Building on decades of reliability and innovation, Lipman designs its products to assure an ongoing Cycle of Profits for its partners at every stage of the transaction process. Rapid response to customers' evolving needs - plus total commitment to round-the-clock support – assure a competitive edge for Lipman's worldwide client base. The **Nurit 8000** - Lipman's 4th generation wireless electronic payment terminal - generates increased transactions from a growing number of markets, bringing added income to the banks and processors that handle them.




### More Transactions, More Often, from More Markets

The **Nurit 8000** Wireless Palmtop Solution...

- is the smallest and most flexible handheld payment terminal available today
- offering the broadest range of optional features
- enabling fast, secure, error-free transactions

#### It's the perfect solution for ...

- on-the-move retailers who bring their products and services directly to their customers (including those based, until now, on cash-only transactions)
- banks and transaction processors seeking lucrative new markets



### Added-Value Advantages

The **Nurit 8000** global payment platform offers a host of advantages at every stage of the transaction process, while enabling increased profits at lower operating costs.

- As the ultimate **Multi-Application Platform**, it supports
  - a range of **Payment and Value-Added Services**, including Credit, Debit, T&E, EBT, Smart Cards, Pre-Paid Cards, Loyalty/Gift Cards, and Proprietary Cards
  - a variety of easily integrated **Business Management Solutions**, including Inventory Control, Dispatch and Order Processing for markets such as Restaurants, Delivery Services, Taxis, etc.
- Doubling as a **Cellular Phone**, it offers both voice and data transfer in real time
- **Electronic Signature Capture** is enabled, using the optional touch screen
- The sophisticated **Docking Station** allows landline communication, charges internal & spare batteries simultaneously, and easily interfaces with external devices
- **Enhancing Cost Efficiency**, it eliminates redundant equipment, reduces power consumption, and creates a paperless environment

The **Nurit 8000** can be purchased

- as a fully customized **standalone unit**, enabling customer-selected features for every type of market
- as part of an **end-to-end system**, enabling new business models and revenue streams for banks, transaction processors, and VARs

## Meeting the Needs of Demanding Markets

Designed to meet the needs of on-the-move markets operating in the most demanding conditions, the **Nurit 8000** is compact, lightweight, and easy-to-use, while at the same time, offering powerful, heavy-duty performance and dependability.



## Ensuring Effortless, Ongoing Transactions

- The **Nurit 8000** all-in-one portable is both wireless and web-enabled, allowing ongoing communication.
- Featuring built-in PIN pad, smart card reader; optional touch screen & electronic signature capture, the Nurit 8000 - designed to meet EMV specifications - allows customer-activated payments to be made on the spot, with complete security.
- With the easy-to-load thermal printer; paper jams are avoided, assuring a steady stream of delay-free transactions.

## Managing Multiple Networks

The Nurit Control Center, a sophisticated management system, enables control of multiple networks of distant terminals, including management of a wide range of market-specific applications that can be run on the **Nurit 8000**. The Control Center offers remote diagnostics and downloading capabilities, as well as simplified data collection and storage. Scalable and easily customized, it supports a variety of back-office functions for fast-changing markets.

## Standard Features

- Built-in radio modem
- HW/SW support for GSM, GPRS, Mobitex, CDPD, DataTac & CDMA
- Multi-application support
- Large, back-lit graphical LCD display
- 18-button ergonomically designed back-lit keypad; programmable quick keys
- Dual track bi-directional magnetic card reader
- Built-in Smart Card Interface
- Internal, Built-in PIN pad
- Easy-load paper mechanism
- Quiet, graphical thermal printer
- Rechargeable batteries

## Optional Features

- Touch screen for electronic signature capture
- Up to two accessible SAM modules
- Memory of up to 6 MB
- Headset and GSM radio modem for voice communication
- TCP/IP protocol support
- Docking station for battery recharge, modem, & interface for external devices; Bar Code Reader; Check Reader
- Infrared unit for wireless PC download & transfer of data between terminals
- Supports 3rd party applications, such as address book, notepad, messaging



- Delivery
- Stadium & Arena Sales
- Restaurant & Food Services
- Contractors & Consultants
- Audio / Video Installers
- Retail
- Limousine & Taxi
- Mobile Vendors
- Fairs & Markets
- Traveling Sales People
- Conventions / Exhibitions
- Golf and Tennis Venues
- Outdoor Entertainment

## Specifications

### Human Interface

- PDA sized back-lit graphical LCD display (touch screen optional)
- 18-button ergonomically-designed back-lit keypad
- Dual track bi-directional tracks 1 and 2 magnetic card reader (tracks 2 and 3 optional)

### Processor

- Powerful ultra-fast 32-bit RISC (ARM7) microprocessor

### Memory

- 2 MB flash memory, extendable to 4 MB, for S/W
- 512 KB battery backed-up RAM for user data (including RAM disk), extendable to 2 MB; six-month minimum data retention

## Communication Capabilities

### Wireless

- Built-in radio modem
- Internal antenna
- Hardware and software support for a wide range of cellular networks:
  - GSM dual-band (optional tri-band) with headset connector for use as mobile telephone
  - GPRS, Mobitex, CDPD, DataTac, CDMA
- IrDA infrared communication (optional) for short-link cableless communication (up to 30 cm)

### Telephone-Line via optional Docking Station or external modem

- Dial-up modem at up to 14.4 kbps for telephone communication (33.3 kbps optional)
- CCITT V.22bis and V.32bis; Fast Connect
- Asynchronous and synchronous protocols, including HDLC
- Complies with FCC part 68 and TBR 21

### TCP/IP protocol support

- For wireless, telephone line and direct cable applications

### Programming Features

- Multi-Application Operating System
- Backwards compatible with existing NURIT applications
- Software Development Kit (SDK), easy-to-use API, application libraries and debugging tools
- Compressed application downloading via radio modem, IrDA, RS-232 or phone line

### Internal built-in PIN Pad (Optional)

### RS-232 port for external devices

### Smart Card features

- Built-in ISO 7816 Smart Card Interface (Optional)
- Designed to meet EMV Level 1 and Level 2 specifications
- Up to two accessible ISO 7816 SAMs located under the battery pack

### Printer

- Quiet, graphical thermal printer; fast 12.5 lines-per-second
- Easy-load paper mechanism
- Standard 21/4" (57 mm) wide paper, 24/40 characters per line
- Out-of-paper detection
- Multi-language character/font support

### Power

- Internal rechargeable Li-ion battery pack with protection circuitry
- 12 hours of general operation or over 200 transactions per charge
- Car charger option

### External Docking Station (Optional)

- Fast 14.4 kbps telephone line modem (33.3 kbps optional)
- Built-in charger; can charge internal and a spare battery pack simultaneously
- RS-232 PC port connector (RJ-45) for external devices such as barcode and check readers
- Optional RJ-11 4/4 connector for external PIN pad

### Mechanical (terminal only)

- Dimensions: 82 mm/3.23" (H) x 108 mm/4.26" (W) x 230 mm/9.06" (D)
- Weight: 600g/1.3 lb, including battery pack and paper roll

All features and specifications are subject to change without notice. All trademarks mentioned are registered by their respective owners.



## LIPMAN International Headquarters

11 Ha'amal Street, Park Afek Rosh-Ha'ayin, ISRAEL 48092 Tel: +972 3 902 9730 Fax: +972 3 902 9731 e-mail: mail@lipman.co.il website: www.lipman.co.il

### Lipman USA

50 Gordon Drive  
Syosset, NY USA 11791  
Tel: +1 516 484 9898  
Fax: +1 516 484 9057  
e-mail: info@lipmanusa.com  
website: www.lipmanusa.com

### Lipman China

Room 601,  
Beijing Capital Times Square,  
No. 88 West Chang'an Avenue,  
Beijing, P.R.C. 100031  
Tel: +86 10 839 13700/01/02  
Fax: +86 10 839 13703  
e-mail: lipman@public3.bta.net.cn  
website: www.lipman-china.com

### Lipman Far East

7 Temasek Boulevard  
The Penthouse #44-01  
Suntec Tower 1  
Singapore 038987  
Tel: +65 6430 6642  
Fax: +65 6430 6644  
e-mail: info@lipmanfareast.com  
website: www.lipmanfareast.com

### Lipman Spain

Calle Orense, nº 32  
1ª planta, Ofc. 3  
Madrid, SPAIN 28020  
Tel: +34 91 598 2140  
Fax: +34 91 597 0097  
e-mail: nuritsys@lipman.es  
website: www.lipman.es

### Lipman CIS

35 Myasnitskaya Street,  
Moscow, RUSSIA 101959  
Tel: +7 095 933 2230  
Fax: +7 095 204 1080  
e-mail: lipman@gutatelecom.ru  
website: www.lipman.ru

### Lipman Turkey

İstanbul AHL  
Serbest Bölgesi Şubesi  
Plaza No. 331  
34830 Havalimanı-İstanbul  
Tel: +90 212 465 0424  
Fax: +90 212 465 0423  
e-mail: mail@lipman.com.tr  
website: www.lipman.com.tr